

Press Release

PI 256

*SpanSet is a participant in the CeMAT special exhibition
„Innovative Logistiklösungen“ (Innovative Logistical Solutions)*

Safer and faster – new solutions for load safety

At the CeMAT in Hannover SpanSet GmbH & Co. KG, Übach-Palenberg, presents itself again as a participant in the special exhibition „Innovative Logistiklösungen“ in Hall 27. In this display visitors will encounter an impressive representation of a complete logistical chain showing how innovative and complex logistical processes do function in a modern production environment. SpanSet will take part in the exhibition section „Loading systems: onward shipment“, and showcase the load restraint in a container and on a swap body. In addition SpanSet will be giving information about new and proven products and services:

Dynamic Load System with re-useable ratchet

With the disposable lashing system EasyLash by SpanSet goods transported by container, rail or ship in international shipping are reliably and simply secured. SpanSet has developed the Dynamic Load System as an extension to the existing EasyLash assortment, which is suitable for multiple usings and makes enables a re-tensioning of the straps during transportation. The Dynamic Load Ratchet remains on the load during transport. At the destination the ratchet is released and is available for the next transport. The straps are made from high-tenacity polyester and achieve the same stability as steel strips but at a much lower weight. They prevent sensitive surfaces from damage and are therefore also suitable for securing coils. The handling is clearly more user-friendly and safer, because when attaching and

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-Palenberg

Tel. (0 176) 5142 4586
Fax (0 24 51) 48 31-8182

E-Mail huertenb@yahoo.de
Internet: www.spanset.de



removing there is no threat of injury from sharp metal edges or recoiling steel bands.

TruXafe: Modular System for old and new vehicles

With TruXafe the most varied freights can be loaded faster, more efficiently and more securely. This modular system stabilises vehicles with bodies according to EN 12642 Code L or Code XL, so that diverse loads like packing units on pallets, Oktabins, chemical barrels and Intermediate Bulk Containers can be secured just by positive-lock. The safe load securing with TruXafe was officially confirmed by the German Dekra based on driving trials.

ErgoMaster: High pre-tensioning force with minimal exertion

With regard to lashing down loads SpanSet developed in a dialog with customers the lashing system ErgoMaster. The ratchet achieves a pre-tensioning force of 720 daN in a standardized test with 50 daN manual force (straight pull) and has at its disposal a lashing capacity LC of 2.000 daN. The ErgoMaster is delivered serially with a Tension Force Indicator TFI. With the TFI a higher pre-tensioning force proven can be used for the calculation of the load security. There is a double economic advantage for the user, since on the one hand the necessary pre-tensioning force is achieved with less ratcheting and on the other less work time is needed.

PaXafe: Load retention nets for every purpose

With an extensive choice of cargo retention nets SpanSet offers the best solution for every for every application. The PaXafe Assortment comprises special woven PE nets for Sprinters, platform trailers and box bodies in different widths, rigidities and appearances. The clever building brick principle enables greater flexibility in the combination of the individual components. It goes

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-Palenberg

Tel. (0 176) 5142 4586
Fax (0 24 51) 48 31-8182

E-Mail huertenb@yahoo.de
Internet: www.spanset.de



without saying that all nets conform to the VDI 2700 page 3.3 and are GS tested.

KaSiPlus: Protects sensitive paper rolls in transit

KaSiPlus edge protectors from SpanSet offer optimal protection for delicate and sensitive paper rolls. Weight, size, contact areas, stackability and geometry of the KasiPlus were conceived according to specifications of the paper and transport industry. And so the edge of the paper roll is effectively protected against pressure marks by a cove and a concave interior edge guide. The large contact area leads to a very low contact pressure of less than 1.8 daN/cm² at 500 daN pre-tensioning force. The well-rounded shape reinforced with crosspieces allows high tensioning forces while lashing down.

LaWi: Universal long edge angle

Loose load units can be joined together and secured with the versatile long edge angle. Long edge angles are particularly suitable for sensitive goods like roofing tiles, planed wooden beams, doors etc. The inside cove of the edge angle protects the edge of the load, the large edge curvature protects the strap and optimizes the force direction. A particular feature of the plastic angle is its high torsional rigidity, which helps when bridging load gaps. Impact-proof polyethylene and a special interior honeycomb structure increase stability and robustness.

You can find further information in the internet under www.spanset.de or at the SpanSet booth at the special exhibition in hall 27.

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-Palenberg

Tel. (0 176) 5142 4586
Fax (0 24 51) 48 31-8182

E-Mail huertenb@yahoo.de
Internet: www.spanset.de



Photos:



III. 1: The Dynamic Load System is also suitable for securing coils.




III. 2: Positive-lock securing of barrels, Big Bags inter alia with TruXafe.

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-Palenberg

Tel. (0 176) 5142 4586
Fax (0 24 51) 48 31-8182

E-Mail huertenb@yahoo.de
Internet: www.spanset.de





Ill.. 3: With 720 daN the ErgoMaster ratchet achieves an extraordinarily high pre-tension strength and is thus best suited for lashing down.



Ill.. 4: Securing cardboard boxes with the PaXafe cargo nets.

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-Palenberg

Tel. (0 176) 5142 4586
Fax (0 24 51) 48 31-8182

E-Mail huertenb@yahoo.de
Internet: www.spanset.de





SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-Palenberg

Tel. (0 176) 5142 4586
Fax (0 24 51) 48 31-8182

E-Mail huertenb@yahoo.de
Internet: www.spanset.de



III. 5: Edge protector KasiPlus prevents sensitive paper roll edges from damage.



III. 6: Long edge angle LaWi is easy in handling due to its large contact face.